





Male Pipe (NPTF - 30° Cone Seat) - Stainless Steel



Descr.	Prod. No.	⊖			H1	H2	L		C		Std. Pack
		"	mm				"	mm	"	mm	
STANDARD PACK											
4-4MPSS	7362-00045	1/4	6.4	1/4-18	9/16	—	2.22	56.4	1.18	30.0	1
6-6MPSS	7362-00065	3/8	9.5	3/8-18	11/16	—	2.22	56.4	1.20	30.5	1
8-8MPSS	7362-00085	1/2	12.7	1/2-14	7/8	—	2.89	73.4	1.45	36.8	1
12-12MPSS	7362-00125	3/4	19.1	3/4-14	1 1/16	—	3.21	81.5	1.50	38.1	1
16-16MPSS	7362-00165	1	25.4	1-11 1/2	1 3/8	—	3.69	93.7	1.91	48.5	1

Female JIC 37° Flare Swivel - Stainless Steel



Descr.	Prod. No.	⊖			H1	H2	L		C		Std. Pack
		"	mm				"	mm	"	mm	
STANDARD PACK											
6-6FJX-SS	7362-01075	3/8	9.7	9/16-18	5/8	3/4	2.23	56.6	1.22	31.0	1
12-12FJX-SS	7362-01135	3/4	19.1	1 1/16-12	1 1/16	1 1/4	3.41	86.6	1.71	43.4	1
16-16FJX-SS	7362-01165	1	25.4	1 5/16-12	1 3/8	1 1/2	3.66	93.0	1.95	49.5	1

EQUIPMENT

HOSE/CPLG. SELECTION

GLOBALSPIRAL COUPLINGS

PCM/PCS FERRULES

MEGACRIMP COUPLINGS

POWER CRIMP COUPLINGS

LOW PRESSURE COUPLINGS

POLARSEAL COUPLINGS

C14 COUPLINGS

PCTS THERMO-PLASTIC COUPLINGS

FIELD ATTACHABLE G1 & G2 COUPLINGS

FIELD ATTACHABLE C5 COUPLINGS

SURELOK AIR BRAKE COUPLINGS

QUICK DISCONNECT COUPLERS

NEW BALL VALVES

ACCESSORIES

EQUIPMENT AND PARTS





Power Crimp® Couplings

EQUIPMENT

HOSE/CPLG. SELECTION

GLOBALSPIRAL COUPLINGS

PCM/PCS FERRULES

MEGACRIMP COUPLINGS

POWER CRIMP COUPLINGS

LOW PRESSURE COUPLINGS

POLARSEAL COUPLINGS

C14 COUPLINGS

PCTS THERMO-PLASTIC COUPLINGS

FIELD ATTACHABLE G1 & G2 COUPLINGS

FIELD ATTACHABLE C5 COUPLINGS

SURELOK AIR BRAKE COUPLINGS


QUICK DISCONNECT COUPLERS

NEW BALL VALVES

ACCESSORIES


EQUIPMENT AND PARTS

Dual Seat Female JIC 37°/SAE 45° Flare Swivel - Stainless Steel




Descr.	Prod. No.	⊖		🌀	H1	H2	L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	
STANDARD PACK											
4-4FJSX-SS	7362-01045	1/4	6.4	7/16-20	1/2	9/16	2.15	54.6	1.07	27.2	1
8-8FJSX-SS	7362-01085	1/2	12.7	3/4-16	13/16	7/8	2.82	71.6	1.38	35.1	1
10-10FJSX-SS	7362-01105	5/8	15.8	7/8-14	15/16	1 3/32	3.06	77.7	1.62	41.2	1

Female SAE 45° Flare Swivel - Stainless Steel



Descr.	Prod. No.	⊖		🌀	H1	H2	L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	
STANDARD PACK											
6-6FSX-SS	7362-01065	3/8	9.7	5/8-18	5/8	3/4	2.23	56.6	1.22	31.0	1
12-12FSX-SS	7362-01125	3/4	19.1	1 1/16-14	1 1/16	1 1/4	3.41	86.6	1.71	43.4	1

Power Crimp® One Non-Skive Ferrules - Stainless Steel



Descr.	Prod. No.	L		⊖		Std. Pack
		"	mm	"	mm	
STANDARD PACK						
4PC1F-M2SS	7362-51045	1.20	30.5	.72	18.4	1
6PC1F-M2SS	7362-51065	1.20	30.5	1.06	26.9	1







Power Crimp® One Non-Skive Ferrules - Stainless Steel - Cont'd

Descr.	Prod. No.	L		Ø		Std. Pack
		"	mm	"	mm	
8PC1F-M2SS	7362-51085	1.47	37.3	1.06	26.9	1
10PC1F-M2SS	7362-51105	1.47	37.3	1.21	30.8	1
12PC1F-M2SS	7362-51125	1.69	42.9	1.35	34.3	1
16PC1F-M2SS	7362-51165	1.69	42.9	1.93	49.1	1

Male Pipe (NPTF - 30° Cone Seat)




H1




Descr.	Prod. No.	Ø		Thread	H1	H2	L		C		Std. Pack
		"	mm				"	mm	"	mm	
STANDARD PACK											
3-2MP	7334-36215	3/16	4.8	1/8-27	1/2	—	2.03	51.6	.94	23.9	1
3-4MP	7334-36245	3/16	4.8	1/4-18	9/16	—	2.22	56.4	1.13	28.8	1
BULK PACK											
3-2MPXBULK	7334-3621	3/16	4.8	1/8-27	1/2	—	2.03	51.6	.94	23.9	600
3-4MPXBULK	7334-3624	3/16	4.8	1/4-18	9/16	—	2.22	56.4	1.13	28.8	600

Male Pipe Swivel (NPTF - Without 30° Cone Seat)

NOT TO BE USED AS A LIVE SWIVEL.



H1



Descr.	Prod. No.	Ø		Thread	H1	H2	L		C		Std. Pack
		"	mm				"	mm	"	mm	
STANDARD PACK											
3-2MPX	7334-36335	3/16	4.8	1/8-27	1/2	—	2.40	61.0	1.31	33.3	1

EQUIPMENT

HOSE/CPLG. SELECTION

GLOBAL SPIRAL COUPLINGS

PCM/PCS FERRULES

MEGACRIMP COUPLINGS

POWER CRIMP COUPLINGS

LOW PRESSURE COUPLINGS

POLARSEAL COUPLINGS

C14 COUPLINGS

PCTS THERMO-PLASTIC COUPLINGS

FIELD ATTACHABLE G1 & G2 COUPLINGS

FIELD ATTACHABLE C5 COUPLINGS

SURELOK AIR BRAKE COUPLINGS

QUICK DISCONNECT COUPLERS

NEW BALL VALVES

ACCESSORIES


EQUIPMENT AND PARTS






Power Crimp® Couplings

Female Pipe (NPTF - Without 30° Cone Seat)




Descr.	Prod. No.	⊖		🌀	H1	H2	L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	
STANDARD PACK											
3-2FP	7334-36225	3/16	4.8	1/8-27	9/16	—	1.85	47.0	.76	19.3	1

Male JIC 37° Flare



Descr.	Prod. No.	⊖		🌀	H1	H2	L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	
STANDARD PACK											
3-4MJ	7334-36235	3/16	4.8	7/16-20	1/2	—	2.09	53.1	1.00	25.4	1

Female JIC 37° Flare Swivel




Descr.	Prod. No.	⊖		🌀	H1	H2	L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	
STANDARD PACK											
3-3FJX	7334-36315	3/16	4.8	3/8-24	1/2	9/16	2.20	55.9	1.11	28.2	1
3-4FJX	7334-36325	3/16	4.8	7/16-20	1/2	9/16	2.21	56.1	1.12	28.4	1
BULK PACK											
3-4FJX XBULK	7334-3632	3/16	4.8	7/16-20	1/2	9/16	2.21	56.1	1.12	28.4	550
24-24FJX XBULK	7303-8924	1 1/2	38.1	1 7/8-12	2	2 1/4	5.10	129.5	2.46	62.5	25
32-32FJX XBULK	7303-9924	2	50.8	2 1/2-12	2 1/2	2 7/8	6.45	163.8	2.92	74.2	12






Female JIC 45° Flare Swivel




Descr.	Prod. No.	⊖			H1	H2	L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	
STANDARD PACK											
3C2-4FJX45S	7303-01005	3/16	4.8	7/16-20	1/2	9/16	2.80	71.1	1.71	43.4	1

Female JIC 37° Flare Swivel - 90° Bent Tube



Descr.	Prod. No.	⊖			H1	H2	T	L		C		Std. Pack	
		"	mm		"	"	"	mm	"	mm	"		mm
STANDARD PACK													
3C2-4FJX90S	7303-01505	3/16	4.8	7/16-20	—	9/16	.68	17.3	2.54	64.5	1.45	36.8	1
BULK PACK													
3C2-4FJX90SXBULK	7303-0150	3/16	4.8	7/16-20	—	9/16	.68	17.3	2.54	64.5	1.45	36.8	25

SAE Male Inverted Swivel



Descr.	Prod. No.	⊖			H1	H2	L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	
STANDARD PACK											
3C2-3MIX	7303-02995	3/16	4.8	3/8-24	1/2	3/8	2.67	67.8	1.58	40.1	1

EQUIPMENT

HOSE/CPLG. SELECTION

GLOBALSPIRAL COUPLINGS

PCM/PCS FERRULES

MEGACRIMP COUPLINGS

POWER CRIMP COUPLINGS

LOW PRESSURE COUPLINGS

POLARSEAL COUPLINGS

C14 COUPLINGS

PCTS THERMO-PLASTIC COUPLINGS

FIELD ATTACHABLE G1 & G2 COUPLINGS

FIELD ATTACHABLE C5 COUPLINGS

SURELOK AIR BRAKE COUPLINGS

QUICK DISCONNECT COUPLERS

NEW BALL VALVES

ACCESSORIES

EQUIPMENT AND PARTS



Power Crimp® Couplings



EQUIPMENT

HOSE/CPLG. SELECTION

GLOBALSPIRAL COUPLINGS

PCM/PCS FERRULES

MEGACRIMP COUPLINGS

POWER CRIMP COUPLINGS

LOW PRESSURE COUPLINGS

POLARSEAL COUPLINGS

C14 COUPLINGS

PCTS THERMO-PLASTIC COUPLINGS

FIELD ATTACHABLE G1 & G2 COUPLINGS

FIELD ATTACHABLE C5 COUPLINGS

SURELOK AIR BRAKE COUPLINGS


QUICK DISCONNECT COUPLERS

NEW BALL VALVES

ACCESSORIES


EQUIPMENT AND PARTS

SAE Male Inverted Swivel - 45° Bent Tube




Descr.	Prod. No.	⊖		🌀	H1	H2	T		L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	"	mm	
STANDARD PACK													
3C2-3MIX45S	7303-03205	3/16	4.8	3/8-24	—	3/8	.58	14.7	2.78	70.6	1.69	42.9	1

SAE Male Inverted Swivel - 90° Bent Tube



Descr.	Prod. No.	⊖		🌀	H1	H2	T		L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	"	mm	
STANDARD PACK													
3C2-3MIX90S	7303-03495	3/16	4.8	3/8-24	—	3/8	1.05	26.7	2.42	61.5	1.33	33.8	1

Female Braze-On Stems



Descr.	Prod. No.	⊖		B	A	D		L		C		Std. Pack
		"	mm	"	"	"	mm	"	mm	"	mm	
STANDARD PACK												
3-4FBO	7305-09135	3/16	4.8	.25	1/4	.56	14.2	1.76	44.7	.68	17.3	1
4-4FBO	7305-09145	1/4	6.4	.25	1/4	.56	14.2	1.67	42.4	.58	14.7	1
4-5FBO	7305-09165	1/4	6.4	.32	3/8	.56	14.2	1.67	42.4	.58	14.7	1
6-6FBO	7334-36755	3/8	9.5	.38	3/8	.75	19.1	1.72	43.7	.70	17.8	1
6-8FBO	7305-29165	3/8	9.5	.50	3/8	.88	22.4	1.72	43.7	.70	17.8	1
8-8FBO	7305-39145	1/2	12.7	.50	3/8	.88	22.4	2.20	55.9	.76	19.3	1






Female Braze-On Stems - Cont'd

Descr.	Prod. No.	⊖		B	A	⊕ D		L		C		Std. Pack
		"	mm			"	mm	"	mm	"	mm	
8-10FBO	7305-39165	1/2	12.7	.63	3/8	.88	22.4	2.20	55.9	.76	19.3	1
12-12FBO	7305-59145	3/4	19.1	.75	3/8	1.12	28.5	2.47	62.7	.76	19.3	1
12-16FBO	7305-59165	3/4	19.1	1.01	15/32	1.38	35.1	2.75	69.9	1.04	26.4	1
16-16FBO	7305-69145	1	25.4	1.01	15/32	1.38	35.1	2.75	69.9	1.04	26.4	1
20-20FBO	7305-79145	1 1/4	31.7	1.26	3/8	1.81	46.0	3.29	85.6	1.11	28.2	1
24-24FBO	7305-89145	1 1/2	38.1	1.51	3/8	2.00	50.8	3.75	95.3	1.11	28.2	1
BULK PACK												
4-4FBOXBULK	7305-0914	1/4	6.4	.25	1/4	.56	14.2	1.67	42.4	.58	14.7	1200
6-6FBOXBULK	7334-3675	3/8	9.5	.38	3/8	.75	19.1	1.72	43.7	.70	17.8	900
6-8FBOXBULK	7305-2916	3/8	9.5	.50	3/8	.88	22.4	1.72	43.7	.70	17.8	500
8-8FBOXBULK	7305-3914	1/2	12.7	.50	3/8	.88	22.4	2.20	55.9	.76	19.3	500
8-10FBOXBULK	7305-3916	1/2	12.7	.63	3/8	.88	22.4	2.20	55.9	.76	19.3	500
12-12FBOXBULK	7305-5914	3/4	19.1	.75	3/8	1.12	28.5	2.47	62.7	.76	19.3	225
12-16FBOXBULK	7305-5916	3/4	19.1	1.01	15/32	1.38	35.1	2.75	69.9	1.04	26.4	200
16-16FBOXBULK	7305-6914	1	25.4	1.01	15/32	1.38	35.1	2.75	69.9	1.04	26.4	125
20-20FBOXBULK	7305-7914	1 1/4	31.7	1.26	3/8	1.81	46.0	3.29	85.6	1.11	28.2	60
24-24FBOXBULK	7305-8914	1 1/2	38.1	1.51	3/8	2.00	50.8	3.75	95.3	1.11	28.2	45

Female DIN 24° Cone Swivel - Light Series



Descr.	Prod. No.	⊖		⊕	H1	H2	L		C		⊕ D	Std. Pack
		"	mm				"	mm	"	mm		
STANDARD PACK												
3C2-6FDLX	7303-08195	3/16	4.8	M12X1.5	14.0	14.0	2.20	55.9	1.11	28.2	6.0	1
BULK PACK												
3C2-6FDLX XBULK	7303-0819	3/16	4.8	M12X1.5	14.0	14.0	2.20	55.9	1.11	28.2	6.0	250

EQUIPMENT
HOSE/CPLG. SELECTION
GLOBAL SPIRAL COUPLINGS
PCM/PCS FERRULES
MEGACRIMP COUPLINGS
POWER CRIMP COUPLINGS
LOW PRESSURE COUPLINGS
POLARSEAL COUPLINGS
C14 COUPLINGS
PCTS THERMO-PLASTIC COUPLINGS
FIELD ATTACHABLE G1 & G2 COUPLINGS
FIELD ATTACHABLE C5 COUPLINGS
SURELOK AIR BRAKE COUPLINGS
QUICK DISCONNECT COUPLERS
NEW BALL VALVES
ACCESSORIES
EQUIPMENT AND PARTS






Power Crimp® Couplings


EQUIPMENT
HOSE/CPLG. SELECTION
GLOBALSPIRAL COUPLINGS
PCM/PCS FERRULES
MEGACRIMP COUPLINGS
POWER CRIMP COUPLINGS
LOW PRESSURE COUPLINGS
POLARSEAL COUPLINGS
C14 COUPLINGS
PCTS THERMO-PLASTIC COUPLINGS
FIELD ATTACHABLE G1 & G2 COUPLINGS
FIELD ATTACHABLE C5 COUPLINGS
SURELOK AIR BRAKE COUPLINGS
QUICK DISCONNECT COUPLERS
NEW BALL VALVES
ACCESSORIES
EQUIPMENT AND PARTS

Female DIN 24° Cone Swivel - Light Series - 90° Bent Tube



Descr.	Prod. No.	⊖		🌀	H1	H2	T		L		C		A1	Std. Pack
		"	mm		mm	mm	"	mm	"	mm	"	mm	mm	
STANDARD PACK														
3C2-6FDLX90	7303-08205	3/16	4.8	M12X1.5	—	14.0	1.26	32.0	2.52	64.0	1.43	36.3	6.0	1

Male Special Grease Fitting




Descr.	Prod. No.	⊖		🌀	H1	H2	L		C		Std. Pack
		"	mm		"	"	"	mm	"	mm	
STANDARD PACK											
3-2MPG	7334-32445	3/16	4.8	1/8-27	9/16	—	1.34	34.0	.56	14.2	1
3-2MPGB	7334-37925	3/16	4.8	1/8-27	9/16	—	1.34	34.0	.78	19.8	1
BULK PACK											
3-2MPGBXBULK	7334-3792	3/16	4.8	1/8-27	9/16	—	1.34	34.0	.78	19.8	1000
3-2MPGXBULK	7334-3244	3/16	4.8	1/8-27	9/16	—	1.34	34.0	.56	14.2	1000



Power Crimp® Couplings





Power Crimp® Two Ferrules (Steel) - PC2F Series



Descr.	Prod. No.	L		Ø		Std. Pack
		"	mm	"	mm	
STANDARD PACK						
3PC2F-2	7266-00075	1.00	25.4	.76	19.3	1
4PC2F-2	7266-00345	1.00	25.4	.84	21.3	10
4PC2F-4	7266-00395	1.20	30.5	.89	22.6	1
5PC2F-2	7266-00385	1.00	25.4	.87	22.1	1
6PC2F-2	7266-00335	1.00	25.4	.94	23.9	10
6PC2F-4	7266-00405	1.20	30.5	1.06	26.9	1
8PC2F-2	7266-00025	1.25	31.8	1.13	28.7	10
8PC2F-4	7266-00415	1.47	37.3	1.28	32.5	1
10PC2F-2B	7266-00465	1.47	37.3	1.32	33.5	1
10PC2F-2C	7266-08105	1.25	31.8	1.23	31.2	1
12PC2F-2	7266-00185	1.47	37.3	1.50	38.1	1
12PC2F-4	7266-00145	1.97	50.0	1.38	35.1	1
16PC2F-2	7266-00135	1.97	50.0	1.75	44.5	1
16PC2F-4	7266-00175	2.07	52.6	1.87	47.5	1
20PC2F-2	7266-00225	2.35	59.7	2.25	57.2	1
20PC2F-4	7266-00215	2.77	70.4	2.19	55.6	1
24PC2F-4	7266-00355	2.88	73.2	2.55	64.8	1
32PC2F-4	7266-00375	3.43	87.1	3.16	80.3	1
BULK PACK						
3PC2F-2XBULK	7266-0007	1.00	25.4	.76	19.3	500
4PC2F-2XBULK	7266-0034	1.00	25.4	.84	21.3	800
4PC2F-4XBULK	7266-0039	1.20	30.5	.89	22.6	600
5PC2F-2XBULK	7266-0038	1.00	25.4	.87	22.1	100
6PC2F-2XBULK	7266-0033	1.00	25.4	.94	23.9	700
6PC2F-4XBULK	7266-0040	1.20	30.5	1.06	26.9	375
8PC2F-2XBULK	7266-0002	1.25	31.8	1.13	28.7	375
8PC2F-4XBULK	7266-0041	1.47	37.3	1.28	32.5	225
10PC2F-2BxBULK	7266-0046	1.47	37.3	1.32	33.5	300
10PC2F-2CxBULK	7266-0810	1.25	31.8	1.23	31.2	200
12PC2F-2XBULK	7266-0018	1.47	37.3	1.50	38.1	200
12PC2F-4XBULK	7266-0014	1.97	50.0	1.38	35.1	125
16PC2F-2XBULK	7266-0013	1.97	50.0	1.75	44.5	90
16PC2F-4XBULK	7266-0017	2.07	52.6	1.87	47.5	75
20PC2F-2XBULK	7266-0022	2.35	59.7	2.25	57.2	40
20PC2F-4XBULK	7266-0021	2.77	70.4	2.19	55.6	40
24PC2F-4XBULK	7266-0035	2.88	73.2	2.55	64.8	30
32PC2F-4XBULK	7266-0037	3.43	87.1	3.16	80.3	16


EQUIPMENT
HOSE/CPLG. SELECTION
GLOBALSPIRAL COUPLINGS
PCM/PCS FERRULES
MEGACRIMP COUPLINGS
POWER CRIMP COUPLINGS
LOW PRESSURE COUPLINGS
POLARSEAL COUPLINGS
C14 COUPLINGS
PCTS THERMO-PLASTIC COUPLINGS
FIELD ATTACHABLE G1 & G2 COUPLINGS
FIELD ATTACHABLE C5 COUPLINGS
SURELOK AIR BRAKE COUPLINGS
QUICK DISCONNECT COUPLERS
NEW BALL VALVES
ACCESSORIES
EQUIPMENT AND PARTS





Power Crimp® Couplings

Power Crimp® One Non-Skive Ferrules (Steel) - PC1FS Series



EQUIPMENT
HOSE/CPLG. SELECTION
GLOBALSPIRAL COUPLINGS
PCM/PCS FERRULES
MEGACRIMP COUPLINGS
POWER CRIMP COUPLINGS
LOW PRESSURE COUPLINGS
POLARSEAL COUPLINGS
C14 COUPLINGS
PCTS THERMO-PLASTIC COUPLINGS
FIELD ATTACHABLE G1 & G2 COUPLINGS
FIELD ATTACHABLE C5 COUPLINGS
SURELOK AIR BRAKE COUPLINGS
QUICK DISCONNECT COUPLERS
NEW BALL VALVES
ACCESSORIES
EQUIPMENT AND PARTS

Descr.	Prod. No.	L		Ø		Std. Pack
		"	mm	"	mm	
STANDARD PACK						
3PC1FS	7266-07035	1.20	30.5	.83	21.1	1
4M3KPC	7266-07805	1.20	30.5	.89	22.6	1
4PC1F-M2S	7266-07635	1.20	30.5	.83	21.1	1
4PC1FS	7266-07045	1.28	32.5	.87	22.1	10
5PC1FS	7266-07055	1.20	30.5	.97	24.6	1
6M3KPC	7266-07815	1.20	30.5	.97	24.6	1
6PC1F-M2S	7266-07375	1.20	30.5	1.06	26.9	1
6PC1FS	7266-07065	1.20	30.5	.96	26.9	10
8M3KPC	7266-07825	1.50	38.1	1.15	29.2	1
8PC1F-M2S	7266-07395	1.47	37.3	1.20	30.5	1
8PC1FS	7266-07085	1.47	37.3	1.15	29.3	10
10PC1F-M2S	7266-07415	1.47	37.3	1.31	33.3	1
10PC1FS-M3K	7266-07105	1.49	37.8	1.21	30.8	10
12PC1F-M2S	7266-07435	1.69	42.9	1.57	39.9	1
12PC1FS-M3K	7266-07125	1.69	42.9	1.53	38.9	10
16PC1F-M2S	7266-07475	1.69	42.9	1.94	49.3	1
16PC1FS	7266-07165	1.69	42.9	1.32	33.5	5
20PC1FS	7266-07205	2.41	61.2	2.38	60.5	1
24PC1FS	7266-07245	2.69	68.3	2.69	68.3	1
32PC1FS	7266-07325	3.56	90.4	3.25	82.6	1
BULK PACK						
3PC1FSXBULK	7266-0703	1.20	30.5	.83	21.1	400
4M3KPCXBULK	7266-0780	1.20	30.5	.89	22.6	600
4PC1FSXBULK	7266-0704	1.28	32.5	.87	22.1	600
5PC1FSXBULK	7266-0705	1.20	30.5	.97	24.6	400
6M3KPCXBULK	7266-0781	1.20	30.5	.97	24.6	500
6PC1F-M2SXBULK	7266-0737	1.20	30.5	1.06	26.9	300
6PC1FSXBULK	7266-0706	1.20	30.5	.96	26.9	375
8M3KPCXBULK	7266-0782	1.50	38.1	1.15	29.2	300
8PC1F-M2SXBULK	7266-0739	1.47	37.3	1.20	30.5	300
8PC1FSXBULK	7266-0708	1.47	37.3	1.15	29.3	275
10PC1F-M2SXBULK	7266-0741	1.47	37.3	1.31	33.3	150
10PC1FS-M3KXBULK	7266-0710	1.49	37.8	1.21	30.8	200
12PC1F-M2SXBULK	7266-0743	1.69	42.9	1.57	39.9	125
12PC1FS-M3KXBULK	7266-0712	1.69	42.9	1.53	38.9	150
16PC1F-M2SXBULK	7266-0747	1.69	42.9	1.94	49.3	75
16PC1FSXBULK	7266-0716	1.69	42.9	1.32	33.5	90
20PC1FSXBULK	7266-0720	2.41	61.2	2.38	60.5	35
24PC1FSXBULK	7266-0724	2.69	68.3	2.69	68.3	25
32PC1FSXBULK	7266-0732	3.56	90.4	3.25	82.6	12

